

INDEX	PAGE(S)
Spider® Shelving System	86-87
Preconfigured Models	88-92
Accessories	. 93-100
Components	. 101-105

THE MOST VERSATILE SHELVING SYSTEM ON THE MARKET

Quick to assemble and built for heavy-duty industrial use, the Spider® Shelving System meets all of your storage needs. With its vast range of accessories, it is the most versatile and flexible shelving system on the market.

- By combining shelving and Mini-Racking, you can extend the range of possibilities available
- By adding modular drawers, you can organize your small parts more efficiently
- Vertical expansion is also possible with our multi-level shelving system

Designed for intensive use, our modular storage system uses the space you have available to its full potential, in areas such as warehouses, parts departments, repair shops and distribution centers.

Trust in our expertise and enjoy peace of mind, knowing all your current and future storage needs will be met.







86

SPIDER® SHELVING SYSTEM

THE ROUSSEAU DIFFERENCE




R drawers can be installed in Rousseau's Spider® Shelving System but also in over 35 commercially available shelving brands.



Easy assembly: The shelves are installed on the posts with four 14-gauge steel compression clips for quick and easy reconfiguration.



Mini-Racking can be added to maximize storage options.



The multipurpose common post is a key structural component. Its unique tubular T shape provides up to seven fixing zones for different applications. It also has a hollow center to prevent interference between sections.



Each component has been designed to be easy to use.


NOTE: The unique design of the Spider® post is a trademark of Rousseau Metal Inc.

GENERAL DIMENSIONS



SHE1024





36"W, 42"W AND 48"W SINGLE SHELVING UNITS, OPEN AND CLOSED

OPEN SHELVING



SRE1011 Starter unit

SRB1011 Add-on unit

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF OPEN AND CLOSED SHELVING UNITS

- The preconfigured models in this section include open or closed uprights and BOX shelves
- The closed shelving preconfigured models in this section include back panels and a front base
- The open shelving preconfigured models in this section include a back brace

D	IMENSIOI	NS		NUMBER C	F SHELVES		
W	D	Н	5	6	7	8	9
	12"		S001	S007	S013	S019	S225
	18"	75"	S002	S008	S014	S020	S226
	24"		S003	S009	S015	S021	S227
	12"		S004	S010	S016	S022	S228
36"	18"	87"	S005	S011	S017	S023	S229
	24"		S006	S012	S018	S024	S230
	12"	_	S401	S407	S413	S419	S625
	18"	99"	S402	S408	S414	S420	S626
	24"		S403	S409	S415	S421	S627
	12"		S131	S137	S143	S149	S255
	18"	75"	S132	S138	S144	S150	S256
	24"		S133	S139	S145	S151	S257
	12"		S134	S140	S146	S152	S258
42"	18"	87"	S135	S141	S147	S153	S259
	24"		S136	S142	S148	S154	S260
	12"		S531	S537	S543	S549	S555
	18"	99"	S532	S538	S544	S550	S556
	24"		S533	S539	S545	S551	S557
	12"		S031	S037	S043	S049	S355
	18"	75"	S032	S038	S044	S050	S356
	24"		S033	S039	S045	S051	S 357
	12"		S034	S040	S046	S052	S358
48"	18"	87"	S035	S041	S047	S053	S 359
	24"		S036	S042	S048	S054	S360
	12"		S431	S437	S 443	S 449	S455
	18"	99"	S432	S438	S 444	S450	S456
	24"		S433	S439	S 445	S451	S457

NOTES: For more information about drawers in shelving, see page 130.

Shelving with drawers must be anchored to the ground with a floor anchoring kit (SH45/SH47).

CLOSED SHELVING



SRE2011 Starter unit

SRB2011 Add-on unit

36"W, 42"W AND 48"W BACK-TO-BACK SHELVING, OPEN AND CLOSED

OPEN SHELVING



HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF BACK-TO-BACK, OPEN AND CLOSED SHELVING UNITS

- The preconfigured models in this section include open or closed uprights and BOX shelves
- The closed shelving preconfigured models in this section include back panels and front bases
- The open shelving preconfigured models in this section include a back brace

DI	MENSIO	NS		NUMBER C	OF SHELVES	
W	D*	Н	10	12	14	16
	24"		S001B	S007B	S013B	S019B
	36"	75"	S002B	S008B	S014B	S020B
	48"	· · · · · · · · · · · · · · · · · · ·	S003B	S009B	S015B	S021B
	24"		S004B	S010B	S016B	S022B
36"	36"	87"	S005B	S011B	S017B	S023B
	48"		S006B	S012B	S018B	S024B
	24"		S401B	S407B	S413B	S419B
	36"	99"	S402B	S408B	S414B	S420B
	48"		S403B	S409B	S415B	S421B
	24"		S131B	S137B	S143B	S149B
	36"	75"	S132B	S138B	S144B	S150B
	48"		S133B	S139B	S145B	S151B
	24"		S134B	S140B	S146B	S152B
42"	36"	87"	S135B	S141B	S147B	S153B
	48"		S136B	S142B	S148B	S154B
	24"		S531B	S537B	S543B	S 549B
	36"	99"	S532B	S538B	S544B	S550B
	48"		S533B	S539B	S545B	S551B
	24"		S031B	S037B	S043B	S049B
	36"	75"	S032B	S038B	S044B	S050B
	48"		S033B	S039B	S045B	S051B
	24"		S034B	S040B	S046B	S052B
48"	36"	87"	S035B	S041B	S047B	S053B
	48"		S036B	S042B	S048B	S054B
	24"		S431B	S437B	S443B	S449B
	36"	99"	S432B	S438B	S444B	S450B
	48"		S433B	S439B	S445B	S451B

CLOSED SHELVING



NOTES: * The depth includes two units. e.g., 24" = two 12" units

For more information about drawers in shelving, see page 130.

Shelving with drawers must be anchored to the ground with a floor anchoring kit (SH45/SH47).

87"H CLOSED SHELVING WITH ACCESSORIES

Some of our most popular shelving units are shown below

NOTES: The 2" front base is always included with closed shelving preconfigured models. For help on completing the product number, see page 88.



SRE3009

SHELVING WITH DIVIDERS • 8 shelves • 28 slots:

• 28 slots 12"W×9"H

• 21 dividers, 51/2"H



SHELVING WITH DIVIDERS

- 8 shelves
- 19 slots:
- ∘ 18 slots 12"W×12"H
- ∘ 1 slot 36"W×12"H
- 12 dividers, 12"H
- 6 shelf fronts



SRE3062

SHELVING WITH **DIVIDERS FOR** X-RAY STORAGE

- 6 shelves
- 60 slots:
- 48 slots 3"W×16"H
- 12 slot 3"W×20"H
- 44 dividers, 16"H
- 11 dividers, 20"H

DDUCT NO.	W×D	PRODUCT NO.	W×D	
3008	36"×12"	S3021	36"×12"	
3009	36"×18"	S3022	36"×18"	
3010	36"×24"	S3023	36"×24"	

PRODUCT NO.	W×D
S3062	36"×18"

SHELVING WITH SLIDING PANELS





OPEN SHELVING





SRE1C-EE870103 Starter unit

SRB1C-EE870103 Add-on unit

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF SILDING PANELS.

- The preconfigured models in this section include open or closed uprights, sliding panels (with handles), panel support and a BOX shelf
- The closed shelving preconfigured models in this section include back panels and the open shelving preconfigured models in this section include a back brace
- For storing a wide range of items: tools, straps, cables, pipes, gaskets, etc.
- Load capacity: 300lb. per panel (weight evenly distributed)
- Refer to technical guide S84 for spacing between panels
- For 5S accessories, see pages 214-215

DIMENSIONS

			PRODUCT NO.	NO. OF PANELS	NO. OF HOLES
	18"	75"	SC-DC750102	2	15
30"	24"	/5	SC-DE750102	2	21
30	18"	87"	SC-DC870102	2	15
	24"	67	SC-DE870102	2	21
	18"	75"	SC-EC750103	3	15
36" —	24"	/3	SC-EE750103	3	21
30 —	18"	87"	SC-EC870103	3	15
	24"	87"	SC-EE870103	3	21
	18"	75"	SC-GC750104	4	15
42"	24"		SC-GE750104	4	21
42	18"	87"	SC-GC870104	4	15
	24"	67	SC-GE870104	4	21
	18"	75"	SC-HC750105	5	15
48" —	24"	75"	SC-HE750105	5	21
40	18"	87" -	SC-HC870105	5	15
	24"		SC-HE870105	5	21

CLOSED SHELVING






SRE2C-EE870103 Starter unit

SRB2C-EE870103 Add-on unit







The panel support must be anchored to the ground to ensure stability (anchoring kit included).

NOTE: *5S accessories not included.

SHELVING WITH MODULAR DRAWERS

Some of our most popular shelving units with drawers are shown below.

- The preconfigured models in this section include welded closed uprights and hook-on mounting brackets for Spider® shelving for quick and easy assembly
- Additional accessories available: utility panels, plastic bin panels, finishing panels, shelf dividers, doors, etc., see pages 94-100
- To order an add-on unit, add A to the product number



IMPORTANT

Drawer compartments are included in all models.

See number of compartments and proposed layouts in



To order drawers without compartments, replace the last two digits of the model number with the next even number up.

e.g., R5SEC-751801 with R5SEC-751802 without

NUMBER OF COMPARTMENTS (LAYOUT CODE)

DRAWER			
DIMENSIONS	3"H TO 5"H	6"H TO 8"H	9"H AND HIGHER
36"W×18"D	24 (0518)	8 (0304)	6 (0203)
36"W×24"D	30 (0524)	12 (0308)	9 (0206)
42"W×18"D	18 (0512)	12 (0308)	6 (0203)
42"W×24"D	30 (0524)	12 (0308)	8 (0304)
48"W×18"D	32 (0724)	10 (0405)	8 (0304)
48"W×24"D	40 (0732)	15 (0410)	8 (0304)

NOTE: For interior drawer dimensions, see pages 226-228



Shelving units with drawers must be anchored to the ground (anchoring kit included).

SHELVING WITH 18"H, 24"H, 36"H AND 48"H BANKS OF MODULAR DRAWERS

SHELVING WITH 18"H BANK OF MODULAR DRAWERS

- 4 drawers:
 - 3 drawers, 4"H
- 1 drawer, 6"H
- 75"H (5 shelves) or 87"H (6 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-751801_	R5SEC-871801_
36"×24"	R5SEE-751801_	R5SEE-871801_
42"×18"	R5SGC-751801_	R5SGC-871801_
42"×24"	R5SGE-751801_	R5SGE-871801_
48"×18"	R5SHC-751801_	R5SHC-871801_
48"×24"	R5SHE-751801_	R5SHE-871801_

R5SEE-871801

SHELVING WITH 24" OF MODULAR DRAWERS

- 5 drawers: - 3 drawers, 4"H
 - 2 drawers, 6"H

 - 75"H (5 shelves) or 87"H (6 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-752401_	R5SEC-872401_
36"×24"	R5SEE-752401_	R5SEE-872401_
42"×18"	R5SGC-752401_	R5SGC-872401_
42"×24"	R5SGE-752401_	R5SGE-872401_
48"×18"	R5SHC-752401_	R5SHC-872401_
48"×24"	R5SHE-752401_	R5SHE-872401_

R5SEE-872401

SHELVING WITH 36"H BANK OF MODULAR DRAWERS



- 7 drawers:
- 3 drawers, 4"H
- 4 drawers, 6"H
- 75"H (5 shelves) or 87"H (6 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-753601_	R5SEC-873601_
36"×24"	R5SEE-753601_	R5SEE-873601_
42"×18"	R5SGC-753601_	R5SGC-873601_
42"×24"	R5SGE-753601_	R5SGE-873601_
48"×18"	R5SHC-753601_	R5SHC-873601_
48"×24"	R5SHE-753601_	R5SHE-873601_

R5SEE-873601



- 7 drawers:
- 4 drawers, 4"H
- 2 drawers, 6"H
- 1 drawer, 8"H
- 75"H (5 shelves) or 87"H (6 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-753603_	R5SEC-873603_
36"×24"	R5SEE-753603_	R5SEE-873603_
42"×18"	R5SGC-753603_	R5SGC-873603_
42"×24"	R5SGE-753603_	R5SGE-873603_
48"×18"	R5SHC-753603_	R5SHC-873603_
48"×24"	R5SHE-753603_	R5SHE-873603_


R5SEE-873603

SHELVING WITH 48"H BANK OF MODULAR DRAWERS



- 8 drawers:
- 8 drawers, 6"H
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754801_	R5SEC-874801_
36"×24"	R5SEE-754801_	R5SEE-874801_
42"×18"	R5SGC-754801_	R5SGC-874801_
42"×24"	R5SGE-754801_	R5SGE-874801_
48"×18"	R5SHC-754801_	R5SHC-874801_
48"×24"	R5SHE-754801_	R5SHE-874801_





R5SEE-874803

- 9 drawers:
- 4 drawers, 4"H
- 4 drawers, 6"H
- 1 drawer, 8"H
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754803_	R5SEC-874803_
36"×24"	R5SEE-754803_	R5SEE-874803_
42"×18"	R5SGC-754803_	R5SGC-874803_
42"×24"	R5SGE-754803_	R5SGE-874803_
48"×18"	R5SHC-754803_	R5SHC-874803_
48"×24"	R5SHE-754803_	R5SHE-874803_



R5SEE-874805

- 10 drawers:
- 6 drawers, 4"H
- 4 drawers, 6"H
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754805_	R5SEC-874805_
36"×24"	R5SEE-754805_	R5SEE-874805_
42"×18"	R5SGC-754805_	R5SGC-874805_
42"×24"	R5SGE-754805_	R5SGE-874805_
48"×18"	R5SHC-754805_	R5SHC-874805_
48"×24"	R5SHE-754805_	R5SHE-874805_



• 11 drawers:

- 4 drawers, 3"H
- 3 drawers, 4"H
- 4 drawers, 6"H
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754807_	R5SEC-874807_
36"×24"	R5SEE-754807_	R5SEE-874807_
42"×18"	R5SGC-754807_	R5SGC-874807_
42"×24"	R5SGE-754807_	R5SGE-874807_
48"×18"	R5SHC-754807_	R5SHC-874807_
48"×24"	R5SHE-754807_	R5SHE-874807_



• 7 drawers:

- 2 drawers, 3"H
- 3 drawers, 4"H
- 2 drawers, 6"H
- 1 front-access roll-out shelf
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754809_	R5SEC-874809_
36"×24"	R5SEE-754809_	R5SEE-874809_
42"×18"	R5SGC-754809_	R5SGC-874809_
42"×24"	R5SGE-754809_	R5SGE-874809_
48"×18"	R5SHC-754809_	R5SHC-874809_
48"×24"	R5SHE-754809_	R5SHE-874809_



ACCESSORIES

DIVIDERS

SHELF DIVIDER **SH50** PARTIAL DIVIDER SH52



- The dividers are installed by inserting into other dividers
- Two nylon clips are provided with each divider
- Sizes given are nominal dimensions (c/c shelves)
- · Painted steel

PRODUCT NO.	D×H
SH50-1206	12"×6"
SH50-1209	12"×9"
SH50-1212	12"×12"
SH50-1215	12"×15"
SH50-1218	12"×18"
SH50-1506	15"×6"
SH50-1512	15"×12"
SH50-1806	18"×6"
SH50-1809	18"×9"
SH50-1812	18"×12"
SH50-1815	18"×15"
SH50-1818	18"×18"
SH50-1824	18"×24"

PRODUCT NO.	D×H
SH50-2406	24"×6"
SH50-2409	24"×9"
SH50-2412	24"×12"
SH50-2415	24"×15"
SH50-2418	24"×18"
SH50-2424	24"×24"

DIVIDERS FOR X-RAY STORAGE		
PRODUCT NO.	D×H	
SH50-1816	18"×16"	
SH50-1820	18"×20"	

NOTE: Other sizes are available. Contact your customer service representative for more information.








SH82

SRP0410



- Height: 51/2"
- Easy tool-free installation

PRODUCT NO.	DEPTH	FOR SHELVES
SH52-1206	71/8"	12"D
SH52-1506	101/8"	15"D
SH52-1806	131/8"	18"D
SH52-2406	191/8"	24"D

Includes pictograms for easy installation



DIVIDING RODS

SH56

- Sold in pairs
- ¼"dia. stainless steel rod
- Includes a 90° bend at one end to keep it
- Superior rigidity to the plastic rods often found on the market for this type of application
- Excellent corrosion and chemical resistance

PRODUCT NO.	HEIGHT
SH56-72	72"
SH56-84	84"
SH56-96	96"

LABEL HOLDERS


MAGNETIC LABEL HOLDER

•	Magnetic	plastic
•	Magnetic	plastic

• Comes in 6" lengths and can be cut to desired length with scissors or a knife

NOTE: For use with paper labels (not included). Label must be ¾" high.

SELF-ADHESIVE LABEL HOLDER



• Full-width label holder for use with paper labels

PRODUCT NO.	W×H
SH81-36	36"×1"
SH81-42	42"×1"
SH81-48	48"×1"

NOTE: Paper labels (not included).



SH81

PANELS

FINISHING PANEL SH37 SIDE UTILITY PANEL SH68



- Finishing panel for end-of-aisle shelving units
- Quick and easy hook-on assembly
- Creates a neater appearance
- Compatible with certain multi-level shelving applications. Contact Customer Service for more information
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

PRODUCT NO.	HEIGHT
SH37075	75"
SH37087	87"



- The SH68 Side Utility Panel can be installed on either the inside or outside of the upright
- Simple tool-free assembly
- Four widths available: 12" (8 holes), 15" (12 holes), 18" (14 holes) and 24" (20 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 300lb. max. per panel
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"


PRODUCT NO.	HEIGHT
SH6814	14"
SH6820	20"
SH6832	32"

FULL-HEIGHT HEAVY-DUTY UTILITY PANEL

SH69


BACK UTILITY PANEL





- Full-height heavy-duty utility panel for end-of-aisle shelving units
- Holes spaced 1" apart c/c
- Quick and easy hook-on assembly
- Creates a neater appearance
- Four widths available: 12" (9 holes), 15" (13 holes), 18" (15 holes) and 24" (21 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Also compatible with WM9C rails; WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 500lb. max. per panel
- Compatible with certain multi-level shelving applications. Contact Customer Service for more information
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

PRODUCT NO.	HEIGHT	
SH6951	51"	
SH6975	75"	
SH6987	87"	_



- · Utility panel for the backs of shelving
- Load capacity: 250lb. per panel
- Easy to install
- Installs at the back of an existing shelving unit
- Holes spaced 1" apart c/c
- Compatible with SH31 back panels
- Four widths available: 30" (26 holes), 36" (32 holes), 42" (38 holes) and 48" (44 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with SR uprights that have perforated sides
- Panel combinations:
- 75"H posts (39"H+39"H)
- 87"H posts (39"H+51"H)
- 99"H posts (51"H+51"H)
- To order: Complete the product number with the width required: 30", 36", 42" or 48

PRODUCT NO.	HEIGHT
SR7939	39"
SR7951	51"

NOTE: SR79 panels are not reversible

ACCESSORIES

BACK (INTERIOR) OR SIDE PLASTIC BIN PANEL

BACK UTILITY PANEL (INTERIOR)

SH67



 SH65 Back Plastic Bin Panel: installs inside a shelving unit between two shelves

SH65 / SH66

- SH66 Side Plastic Bin Panel: can be installed on either the inside or outside of the upright
- Simple tool-free assembly
- Used for hanging RG20 bins
- Compatible with all brands of plastic bins with hanging lip on the market

BACK	W×H
SH65-3020	30"×20"
SH65-3032	30"×32"
SH65-3620	36"×20"
SH65-3632	36"×32"
SH65-4220	42"×20"
SH65-4232	42"×32"
SH65-4820	48"×20"
SH65-4832	48"×32"

SIDE	D×H
SH66-1220	12"×20"
SH66-1232	12"×32"
SH66-1520	15"×20"
SH66-1532	15"×32"
SH66-1820	18"×20"
SH66-1832	18"×32"
SH66-2420	24"×20"
SH66-2432	24"×32"

NOTE: For SH65 installation, allow a minimum 4" c/c between shelves.



- The SH67 Back Utility Panel installs inside a shelving unit between two shelves
- Simple tool-free assembly
- Four widths available: 30" (26 holes), 36" (32 holes), 42" (38 holes) and 48" (44 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 300lb. max. per panel
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SH6714	14"
SH6720	20"
SH6732	32"

NOTE: For SH67 installation, allow a minimum 4" c/c between shelves.

LED LIGHTS

LED LIGHT FOR SPIDER® SHELVING

SH95



- Brightens shaded areas under shelves
- Can be installed under SH20 shelves
- Brighter and more energy efficient than a fluorescent tube
- Color temperature: 6000-7000K (cool)
- · Rigid aluminum housing
- Includes a 10-foot power cord

PRODUCT NO.	FOR
SH95-01	30"W or 36"W shelves
SH95-02	42"W or 48"W shelves



DOORS, HANDLES AND LOCKS

ROTATING HANDLE

Door opens by turning handle to the left or the right.

LOCK POSITION

The hasp or lock are positioned so they do not impede the hand.

DOUBLE LOCK

Add a second lock to your door.

ELECTRONIC LOCK

Easier management of door access permissions.





- Two locks can be used for maximum security
- To order: Specify the type of lock required, e.g., SH43-3075L3+CZ06-LP to add an LP lock as well as the lock ordered

PRODUCT NO.	DESCRIPTION
CZ05-L3	To add an L3 lock
CZ06-LP	To add an LP lock
	•

NOTE: To add a second lock to an existing door, please contact Customer Service.







SOLID DOORS WITH FRAME

POLYCARBONATE DOORS WITH FRAME

SH43



KA-KD-MK

302

Three types of lock available: L3 for a standard central lock, LP for a safety hasp or L50 for an electronic lock

The doors open 180° and have a recessed

SH41


- Quick and easy installation
- Integrated spacer frame for installation of Rousseau modular drawers
- Frame is 2" deep

lock and handle

- Compatible with Rousseau Spider® shelving only
- Widths available: 30", 36", 42" and 48"
- Heights available: 39", 41", 51", 53", 63", 75", 87" and 99'
- To order: Specify the width and height of the door, e.g., SH41-3075L3

PRODUCT NO.	LOCK TYPE
SH41L3	Standard Lock
SH41LP	Safety Hasp
SH41L50	Electronic Lock





- Polycarbonate front panels provide visibility of the shelving contents
- Excellent impact resistance
- The doors open 180° and have a recessed lock and handle
- Three types of lock available: L3 for a standard central lock, LP for a safety hasp or L50 for an electronic lock
- Quick and easy installation
- Integrated spacer frame for installation of Rousseau modular drawers
- Frame is 2" deep
- Compatible with Rousseau Spider® shelving only
- Widths available: 30", 36", 42" and 48"
- Heights available: 39", 41", 51", 53", 63", 75", 87" and 99"
- To order: Specify the width and height of the door, e.g., SH43-3075L3

PRODUCT NO.	LOCK TYPE
SH43L3	Standard Lock
SH43LP	Safety Hasp
SH43L50	Electronic Lock

NOTE: When two doors are installed side-by-side, the maximum opening is just over 90° and allows full access to the contents.

STACKED DOORS, SOLID OR POLYCARBONATE

SH91/SH93







- Solid stacked doors: SH91
- Polycarbonate stacked doors: SH93
- The doors open 180° and have a recessed lock and handle
- Quick and easy installation
- Compatible with Rousseau Spider® shelving only
- Three types of lock available: L3 for a standard central lock, LP for a safety hasp or L50 for an electronic lock

NOTES: Choose SH41/SH43 doors if the doors are full height or start at the bottom and end at the center. Choose SH91/SH93 doors if the doors start at the top and end at the center.

> Consult data sheet S64 to see all dimensions and possible configurations.

When two doors are installed side-by-side, the maximum opening is just over 90° and allows full access to the contents.







R5SEE-871807


SH85


FLIPPER DOOR

Full-width handle provides a comfortable grip

- Add L3 to the product number for a standard lock, and <u>L50</u> for an electronic lock
- 14"H c/c door for folder storage 16"H c/c door for binder storage
- Installs between two SH20 shelves
- Compatible with SH52 dividers
- Door heights available: 14", 16", 17" or 18"
- To order: Specify the height and type of lock required, e.g., SH85-361816L3 for a 16"H door with standard lock

PRODUCT NO.	W×D	USABLE DEPTH
SH85-3018	30"×18"	15"
SH85-3024	30"×24"	21"
SH85-3618	36"×18"	15"
SH85-3624	36"×24"	21"
SH85-4218	42"×18"	15"
SH85-4224	42"×24"	21"
SH85-4818	48"×18"	15"
SH85-4824	48"×24"	21"





96

CCESSORIES

MISCELLANEOUS RAILS AND HOLDERS


PLASTIC BIN RAIL SH62 **CLOTHES HANGING RAIL** SH70



- Ideal for ends of aisles. Quick and easy hook-on assembly
- Ideal for all brands of 5"H to 7"H bins
- · Bins sold separately

PRODUCT NO.	DEPTH
SH62-18	18"
SH62-24	24"





- Quick and easy installation
- Hooks onto the shelving posts
- Includes a 1" dia. rod and two brackets
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

AND PERSONS NAMED IN COLUMN TWO IS NOT THE OWNER.	PRODUCT NO.	
120	SH7018	
7	SH7024	
Tour or		

PRODUCT NO.	DEPTH
SH7018	18"
SH7024	24"

Because space is required under the clothes hanging rail, this product is not recommended for multi-level shelving.

SPOOL HOLDER

SH72



- Efficient spool storage for shelving
- One or two rods available
- Load capacity: 50lb. per rod, 100lb. total per double rod
- 3/4" dia. rods compatible with most spools
- Designed so the bar can be pivoted to help with changing spools
- Different spool sizes can be combined on the same rod
- To order: Complete the product number with the number or rods required: 01 or 02

PLASTIC BIN



RG20



- · For easier storing, moving and managing of small parts
- Lightweight and durable
- 45° angled rim for easy identification of bin contents and removal of bins
- Compatible with SH65 and SH66 plastic bin panels, and SH62 and WM9C plastic bin rails
- 6" plastic bins can be subdivided

12"	18"	24"
6½"	6½"	6½"
8½"	8½"	8½"
10½"	10½"	10½"
	6½" 6½"	8½" 8½"
	8½" 8½"	10½" 10½"

PRODUCT NO.	W×D
SH72-3012-01	30"×12"
SH72-3018	30"×18"
SH72-3024	30"×24"
SH72-3612-01	36"×12"
SH72-3618	36"×18"
SH72-3624	36"×24"
SH72-4212-01	42"×12"
SH72-4218	42"×18"
SH72-4224	42"×24"
SH72-4812-01	48"×12"
SH72-4818	48"×18"
SH72-4824	48"×24"

DII	MENSIO	NS	PRODUCT NO.		
w	D	Н	BIN	PARTITION	DIVIDER
3"	3"	2"	RG20-030302	-	-
4"	3"	2"	RG20-040302	-	-
6"	3"	2"	RG20-060302	RG22-0302	-
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602
3"	3"	3"	RG20-030303	-	-
4"	3"	3"	RG20-040303	-	-
6"	3"	3"	RG20-060303	RG22-0303	-
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603

NOTE: Height 2" = 11/2" real Height 3" = 21/2" real

HEAVY-DUTY SQUARE HOOK

WM9A



- Used with utility panels (SH67, SH68, SH69, SH77, SH79 and SR79) to hang accessories and tools
- Flat surface on top
- Raised end to prevent accessories or tools from sliding off
- Hook-on installation
- Includes side notches for extra stability
- 50lb. load capacity
- Sold individually
- 1"W (two holes)
- Color: black

PRODUCT NO.	LENGTH
WM9A-03	3"
WM9A-06	6"
WM9A-12	12"

HEAVY-DUTY ROUND HOOK

WM9B



- Used with utility panels (SH67, SH68, SH69, SH77, SH79 and SR79) to hang accessories and tools
- ¾" dia. tube
- Tools and accessories slide on and off easily
- Hook-on installation
- Includes side notches for extra stability
- 50lb. load capacity
- Sold individually
- Hook base: 2"W (three holes) x 5"H
- Color: black

PRODUCT NO.	LENGTH
WM9B-03	3"
WM9B-06	6"
WM9B-12	12"

PLASTIC BIN RAIL



WM9C CAI



WM9D




- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Plastic bins hook onto the rail for efficient storage of small parts
- Includes side notches for extra stability
- Compatible with all brands of plastic bins with hanging lip on the market
- Compatible with RG20 plastic bins
- · Bins sold separately
- Widths available: 6" (7 holes), 9" (10 holes), 12" (13 holes), 15" (16 holes), 20" (21 holes), 23" (24 holes) and 26" (27 holes)
- To order: specify the width required

PRODUCT NO.	HEIGHT
WM9C	3"

SCREWDRIVER HOLDER

WM9N



- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Holds 6-12 screwdrivers
- Color: black

PRODUCT NO.	VERSION	$W \times D \times H$
WM9N-01	Single	9"×1½"×2"
WM9N-02	Double	9"×3¾6" ×2"

LONG TOOL HOLDER

WM9Q




- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Holds up to three long tools
- Color: black

PRODUCT NO.	W×D×H
WM9Q-08	8"×3"×4"

VINYL RUB-ON IDENTIFICATION DECAL

WM91



- For easy identification of where tools should be stored on utility panels (SH67, SH68, SH69, SH77, SH79 and SR79)
- Contrasting color so it is easy to notice when a tool is missing and what kind of tool it is
- Ideal for 5S method tool management
- Sold in rolls of 2'W x 8'L

PRODUCT NO.

CAN HOLDER




- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Ideal for storing various items of different sizes, such as aerosol cans
- · Hook-on installation
- Includes side notches for extra stability
- Widths available: 6" (7 holes), 9" (10 holes), 12" (13 holes), 14" (15 holes), 15" (16 holes) and 20" (21 holes)
- To order: specify the width required

PRODUCT NO.	D×H
WM9D	3"×4"

PLIERS HOLDER

WM9M



- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Holds up to six pliers
- Color: black

PRODUCT NO.	W×D×H
WM9M-01	9"×2½"×2"

TILTABLE SHELF FOR UTILITY PANEL


WM21



- Hooks on SH67, SH68, SH69, SH77, SH79 and SR79 panels
- Includes slots spaced 2" apart c/c for installing SH52 dividers
- Includes two side brackets which can be placed at right angles or at a 15° angle
- The shelf is reversible and its edge can act as a back stop for plastic bins or binders
- Load capacity: 50lb. (evenly distributed)
- Three widths available: 13" (14 holes), 15" (16 holes) and 31" (32 holes)

PRODUCT NO.	W×H
WM21-1308	13"×8"
WM21-1312	13"×12"
WM21-1508	15"×8"
WM21-1512	15"×12"
WM21-3108	31"×8"
WM21-3112	31"×12"

LIGHT DUTY HOOKS




- You can store many different parts, tools and accessories using our family of lightduty hooks
- They are compatible with most panels currently available on the market (1/4" dia. holes) as well as Rousseau utility panels (SH67, SH68, SH69, SH77, SH79 and SR79)
- Color: black

TYPE / PACKAGE	DIMENSION	PRODUCT NO.
Straight hooks/20	1 ½"D	WM9F-150
Single hooks/20	1 ½" dia.	WM9G-150
Single hooks/20	2" dia.	WM9G-200
Double back single hooks/10	3"D	WM9H-03
Double back single hooks/10	5"D	WM9H-05
Double back double hooks/10	3"D	WM9J-03
Double back double hooks/10	5"D	WM9J-05
Drill holder/1	5"W x 3½"D	WM9L-01


ACCESSORIES

MODULAR DRAWERS AND ROLL-OUT SHELVES



HEAVY-DUTY MODULAR DRAWER





- Painted steel drawer: RF32
- Drawer with stainless steel front and gray painted steel interior: RF36
- 400lb. load capacity, 100% extension
- Heavy-duty construction
- Easy to install
- Vast choice of accessories available to customize the drawer to your storage needs, see pages 242-247
- Drawer heights available: 3", 4", 5", 6", 7", 8", 9", 10", 12" and 14"
- To order: Add the drawer height to the product number and specify the type of drawer front required (painted steel or stainless steel), e.g., RF32-362406
- For preconfigured modular drawers with compartments, see pages 224-241;

PRODUCT NO.	W×D
RF3018	30"×18"
RF3024	30"×24"
RF3618	36"×18"
RF3624	36"×24"
RF4218	42"×18"
RF4224	42"×24"
RF4818	48"×18"
RF4824	48"×24"

MOUNTING BRACKETS FOR SPIDER * SHELVING

RE30



- · Quick and easy hook-on assembly
- Standard heights available: 18", 24", 30", 34", 36", 46" and 48"
- Mounting bracket kits are compatible with all Rousseau drawer widths (30", 36", 42" and 48")
- Each kit includes two front and two rear mounting brackets and all hardware required
- Includes holes spaced 1" apart c/c for easy adjustment of shelves
- 34"H brackets are used with 39"H posts or doors
- Two brackets can be stacked if a shelf is installed between them, see page 137
- To order non-standard mounting bracket heights, please contact Customer Service

PRODUCT NO.	HEIGHT
RE30-18	18"
RE30-24	24"
RE30-30	30"
RE30-34	34"
RE30-36	36"
RE30-46	46"
RE30-48	48"

HEAVY-DUTY FRONT ACCESS ROLL-OUT SHELF



RF41



- 400lb capacity, 100% extension;
 - Heavy-duty construction;
- Easy to install;
- Painted steel with 3" edges on sides and back;
- Height: 6";
- Full access to contents;
- Complete the product number by choosing the desired width: 30", 36", 42" or 48".

PRODUCT NO.	DEPTH
RF4118	18"
RF4124	24"

FILLER

Shelving units with drawers must be anchored to the ground.

RE90



- Installs under the bank of drawers with an adhesive strip
- Fulfills aesthetic requirements of certain work environments (hospitals, offices, etc.)
- Compatible with Rousseau Spider® and Spacesaver shelving only
- For Spacesaver shelving, order RE90-WW02 instead of RE90-WW01

PRODUCT NO.	W×H
RE90-3001	30"×5%"
RE90-3601	36"×5%"
RE90-4201	42"×5/8"
RE90-4801	48"×5/8"

HEAVY-DUTY 3-SIDED ACCESS ROLL-OUT SHELF







- 400lb. load capacity, 100% extension
- Heavy-duty construction
- Easy to install
- Galvanized steel with 1½"H edge on the back
- Total height: 5"
- Full access to contents
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	DEPTH
RF4518	18"
RF4524	24"


LOCKING AND SECURITY MECHANISMS

VERTICAL SECURITY BAR

RE80 INTEGRATED LOCK-IN MECHANISM







- The key or safety hasp is located at the top of the bar to facilitate access
- Covers a bank of drawers from 18"H to 48"H
- Quick and easy hook-on assembly
- More than one bar on the same mounting bracket can be installed (for different users)
- Installs on the right-hand side
- The 36"H bar is compatible with the 34"H mounting bracket, and the 48"H bar is compatible with the 46"H mounting bracket
- Compatible with Rousseau Spider® shelving only. For Spacesaver shelving, order RE81-HHL3A instead of RE80-HHL301
- To order: Specify the type of lock required, for a standard lock, add L3 to the product number; for a safety has p, add LP to the product number



PRODUCT NO.	HEIGHT
RE80-18A	18"
RE80-24A	24"
RE80-30A	30"
RE80-36A	36"
RE80-48A	48"

ECONO LOCK-IN MECHANISM

В



- Automatically activated when lifting the handle up
- The drawer or roll-out shelf can be opened with one hand only

Automatically activated when lifting the

with one hand only

on their own

PRODUCT NO.

Α

Easy to retrofit

e.g., RF32-362406A

Closes with a simple push

for the drawer, preconfigured compartment layout or roll-out shelf,

The drawer or roll-out shelf can be opened

Stops drawer or roll-out shelf from opening

To order: Add A to the product number

• For replacement parts or to retrofit this mechanism, order an RY08-WWA

- Closes with a simple push
- Stops drawer or roll-out shelf from opening on their own
- Easy to retrofit
- To order: Add B to the product number for the drawer, preconfigured compartment layout or roll-out shelf, e.g., RF32-362406B
- For replacement parts or to retrofit this mechanism, order an RY01-B

PRODUCT NO. В

LOCK-OUT MECHANISM

RF85

RF91



- For both drawers and roll-out shelves
- Locks drawers and roll-out shelves in an open position
- Activated manually, only when required
- Compatible with all drawer accessories
- more difficult to activate the mechanism

PRODUCT NO. RF85

Plastic bins in the back row may make it



DRAWER LOCK

Compatible with all drawer dimensions


- Does not reduce the drawer's storage space
- Easy to retrofit
- To order: Add L3 to the product number for the drawer or preconfigured compartment layout, e.g., RF32-362406L3
- For replacement parts or to retrofit this mechanism, order an RY01-L3







SECURITY PANEL



- Usable space in the bank of drawers is reduced by 1"
- Installs between two drawers
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	DEPTH
RF9118	18"
RF9124	24"

rousseau.com

100

OMPONENTS

STRUCTURAL COMPONENTS

POST



SR10/SH10






SR11 / SH11



Tubular T shape provides up to seven fixing zones

- Includes perforations spaced 1" apart c/c on each side for easy adjustment of shelves
- 14ga steel
- Options:
- SR10 universal post with perforated front surface for adding Mini-Racking or multi-level shelving
- SH10 shelving post with smooth front surface for a neater finish

SR UNIVERSAL POST	SH SHELVING POST	HEIGHT
SR10-039	SH10-039	39"
SR10-051	SH10-051	51"
SR10-075	SH10-075	75"
SR10-087	SH10-087	87"
SR10-099	SH10-099	99"
SR10-111	SH10-111	111"
SR10-123	SH10-123	123"



NOTES: Other sizes are available. Contact your customer service representative for

The unique design of the Spider® post is a trademark of Rousseau Metal Inc.

- Upright with factory-welded side braces
- **Enables faster assembly**
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

SH SHELVING POST	HEIGHT
SH110752	75"
SH110872	87"
SH110992	99"
	SHELVING POST SH110752 SH110872

NOTE: Other sizes are available. Contact your customer service representative for more information.

WELDED CLOSED UPRIGHT



SR12/SH12

SHELF FRONT OR FRONT BASE

SH28

SH31



- · Upright with full-height factorywelded panel
- · Enables faster assembly
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

SR UNIVERSAL POST	SH SHELVING POST	HEIGHT
SR12075	SH12075	75"
SR12087	SH12087	87"
SR12099	SH12099	99"

NOTE: Other sizes are available. Contact your customer service representative for more information.



- Same component used for both applications
- Quick and easy hook-on installation
- To order: Complete the product number with the width required: 30", 36", 42"

PRODUCT NO.	HEIGHT
SH2802	2"
SH2805	5"

NOTE: The 2" front base is always included with closed shelving preconfigured models.

SIDE PANEL

• Panel combinations:

- 75"H posts (39"H+39"H)
- 87"H posts (39"H+51"H)
- 99"H posts (51"H+51"H)
- 111"H posts (39"H+39"H+39"H)
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

PRODUCT NO.	HEIGHT
SH3039	39"
SH3051	51"

BACK PANEL

- Panel combinations:
- 75"H posts (39"H+39"H)
- 87"H posts (39"H+51"H)
- 99"H posts (51"H+51"H)
- 111"H posts (39"H+39"H+39"H)
- 123"H posts (39"H+39"H+51"H)
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SH3139	39"
SH3151	51"

SH30


BACK SWAY BRACE SH33 SIDE BRACES SH34

SH35



- X-shaped factory-assembled brace
- · Easy to install
- Recommendations:
- For 99"H uprights and shorter: one brace
- For uprights higher than 99": two braces, please refer to technical guide \$58 or contact your customer service representative for exact placement of the brace

PRODUCT NO.	WIDTH
SH33-30	30"
SH33-36	36"
SH33-42	42"
SH33-48	48"



- Sold in pairs
- Enables uprights to be attached in a "ladder" for easier assembly
- Recommendations:
- For 99"H uprights or shorter: one pair of side braces
- For uprights higher than 99"H: please refer to technical guide S58 or contact your customer service representative

PRODUCT NO.	DEPTH
SH34-12	12"
SH34-15	15"
SH34-18	18"
SH34-24	24"
SH34-30	30"

SH79

CORNER GUSSETS

NOTE:

shelf reinforcements


Replaces a back sway brace to provide full access to the front and rear of the shelving

- 14ga steel
- Each kit includes four gussets. Minimum of three kits required per shelving unit

PRODUCT NO.

Not to be used for shelving over 99"H, multi-level shelving or SHC2 double

SH35



STRUCTURAL BACK UTILITY PANEL

Utility panel for the backs of shelving

- Forms an integral part of the shelving structure
- Holes spaced 1" apart c/c
- Load capacity: maximum 250lb. per panel
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Panel combinations:
- 75"H posts (39"H+39"H)
- 87"H posts (39"H+51"H)
- 99"H posts (51"H+51"H)
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SH7939	39"
SH7951	51"

NOTE: Used without SH31 back panels.




SLIDING UTILITY PANEL





OMPONENTS

SH76/SH77





The panel support must be anchored to the ground to ensure stability (anchoring kit included).

INSTALLATION ACCESSORIES

FLOOR ANCHOR PLATE

Sold individually



- Attaches to the post for anchoring shelving sections to the ground. Distributes the load over a larger surface and protects the floor
- 12ga galvanized steel

PRODUCT NO.	
SH45	

LEVELING GLIDE KIT



- Adjusts the height of Spider® Shelving units from 1¼" to 2½" on uneven surfaces
- Load capacity: maximum 750lb. per glide
- Restrictions:
 - Only compatible with 99"H shelving or shorter
 - Only compatible with SR uprights and posts
- Not compatible with RF32/RF36 modular drawers, RF41/RF45 roll-out shelves and SH28 bases

PRODUCT NO.

SR49-01

- For storing a wide range of items: tools, straps, cables, pipes, gaskets, etc.
- Compatible with Spider® shelving, both open and closed
- Refer to technical guide S84 for spacing between panels
- SB92 handles available as an optional add-on
- Panel:
 - Available heights: 63", 75" and 87"; depths: 18" and 24"
- Holes spaced 1" apart c/c
- Width adjustable in 1" increments c/c
- Load capacity: 300lb. per panel (weight evenly distributed)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Support:
- Available widths: 30", 36", 42" and 48"
- One support kit per shelving
- The bottom beam also serves as a kick plate
- To order: Specify the width of the support required

PRODUCT NO.	D×H	NO. OF HOLES
SH77-1863	18"×63"	15
SH77-2463	24"×63"	21
SH77-1875	18"×75"	15
SH77-2475	24"×75"	21
SH77-1887	18"×87"	15
SH77-2487	24"×87"	21
SH76	Panel support	
SB92-01	Handles	

NOTES: If the shelving unit is used on its own, the sliding panels must be the same height as the shelving.

If the shelving with sliding panels is used in combination with two shelving units, you can put storage shelves above the panels.

SHIM PLATE

SH45



- Sold individually
- Levels shelving units on uneven surfaces
- Slides under SH45 floor anchor plates
- 12ga or 16ga galvanized steel

PRODUCT NO.	THICKNESS
SH46-12	12 gauge (0.100")
SH46-16	16 gauge (0.060")

FLOOR ANCHORING HARDWARE

SH47

SR47

SH46



- Anchors shelving to the ground
- Includes four bolts for concrete floors

PRODUCT NO. SH47-04

WALL SPACER

Anchors shelving to the wall



• Wall anchoring hardware not included (holes are 5/16" dia.)

PRODUCT NO. SR47-0304



SHELVES AND SHELF ACCESSORIES

BOX SHELF SH20



- Box-type shelf with front and rear edges roll-formed and welded
- 20 gauge steel, $1\frac{1}{4}$ " thick
- 4 sturdy and compact SH60 clips included
- Perforations for dividers (SH52) at every 3"c/c

PRODUCT NO.	W×D
SH20-3012	30"×12"
SH20-3015	30"×15"
SH20-3018	30"×18"
SH20-3024	30"×24"
SH20-3612	36"×12"
SH20-3615	36"×15"
SH20-3618	36"×18"
SH20-3624	36"×24"

PRODUCT NO.	W×D
SH20-4212	42"×12"
SH20-4215	42"×15"
SH20-4218	42"×18"
SH20-4224	42"×24"
SH20-4812	48"×12"
SH20-4815	48"×15"
SH20-4818	48"×18"
SH20-4824	48"×24"

NOTE: Other sizes are available. Contact your Customer Service representative for more information.

SHELF LOAD CAPACITY

Shelving load capacity tests are based on ANSI MH28.1 Shelving Manufacturer Association (SMA) standards.

These load capacities include a safety factor and are valid for an evenly distributed load. The capacities specified are in pounds.

NOTE: SH22, SH24 and SHC reinforcements are not factory installed on SH20 BOX shelves.

	4//		
DIMENSIONS W×D	MEDIUM-DUTY CAPACITY WITHOUT REINFORCEMENT	HEAVY-DUTY CAPACITY CENTRAL REINFORCEMENT	EXTRA HEAVY-DUTY CAPACITY DOUBLE REINFORCEMENT
30"×12"	750	_	_
30"×15"	775	_	_
30"×18"	800	_	_
30"×24"	450	_	_
36"×12"	750	_	_
36"×15"	775	_	_
36"×18"	800	1000	1100
36"×24"	625	1050	1100
42"×12"	650	_	_
42"×15"	650	_	_
42"×18"	650	850	1050
42"×24"	650	875	1050
48"×12"	550	_	_
48"×15"	550	_	_
48"×18"	575	725	1025
48"×24"	600	750	1050
	-		



COMPONENTS

CENTER SHELF REINFORCEMENT (HEAVY-DUTY)

SHC

DOUBLE SHELF REINFORCEMENT (EXTRA HEAVY-DUTY)

SHC



- One SH24 front reinforcement combined with two SH22 side reinforcements
- Galvanized steel

PRODUCT NO.	W×D
SHC1009	30"×18"
SHC1010	30"×24"
SHC1003	36"×18"
SHC1004	36"×24"
SHC1007	42"×18"
SHC1008	42"×24"
SHC1005	48"×18"
SHC1006	48"×24"



- Combination of two front reinforcements (SH24) with two side reinforcements (SH22);
- Galvanized steel.

PRODUCT NO.	W×D
SHC2009	30"×18"
SHC2010	30"×24"
SHC2003	36"×18"
SHC2004	36"×24"
SHC2007	42"×18"
SHC2008	42"×24"
SHC2005	48"×18"
SHC2006	48"×24"

 $NOTE: \quad Required \ when \ the \ shelves \ need \ to \ support \ higher \ loads, \ concentrated \ loads \ or \ when \ aesthetics \ are \ important.$

SIDE SHELF REINFORCEMENTS

SH22


FRONT SHELF REINFORCEMENT

SH24



- Two L-shaped reinforcements that attach on each side of the shelf
- These side reinforcements increase the load capacity of 36"W×24"D shelves to 800lb.
- · Galvanized steel

PRODUCT NO.	DEPTH	
SH22-18	18"	
SH22-24	24"	



- Required when the shelves need to support loads concentrated at the front
- Galvanized steel

PRODUCT NO.	WIDTH
SH24-30	30"
SH24-36	36"
SH24-42	42"
SH24-48	48"

NOTE: This reinforcement increases rigidity, not load capacity.



End-Users: 1.866.463.4270 Distributors: 1.800.463.4271